PRODUCT TECHNICAL DATASHEET BM30/303/HS



Intensive use



High Speed



Digital Encoder



Mechanic limit switch





CODE	DESCRIPTION	PCS/PALLET
BM30/303/HS	Electromechanical HIGH SPEED BRUSHLESS motor, low voltage, super intensive use, irreversible, ideal for sliding gates up to 400 kg with built-in digital controller B70 series, mechanical limit switch.	44


Max gate weight	400 kg	
Power line supply	230V AC - 50Hz	
Motor power supply	24V	
Power rating	125W	
Frequency of use	Intensive use	
Thrust	50 - 350N	
Operating temperature	-20+55°C	
Protection level	IP43	
Reductor Type	Irreversible	
Manoeuvre speed	26 m/min (0.44 m/s)	
Limit switch	Mechanical	
Onboard control unit	B70/1DC	
Encoder	Digital native encoder + magnetic digital SENSORED, 4096 PPR	
Type exit gear	Z15/mod 4	
Operating cycles per day (opening/closing - 24 hours no stop)	500	
Maximum dimension product in mm (L x W x H)	250 x 165 x 290	

Number items per pallet 44

10,4




PRODUCT DIMENSIONS AND PREPARING FOR INSTALLATION




DIMENSIONS

PRODUCT PREPARING FOR INSTALLATION



PREDISPOSITION FOR STANDARD INSTALLATION



PREDISPOSITION FOR STANDARD INSTALLATION

PRODUCT ACCESSORIES



B71/PBX24/BOX
Battery chargers with solar panels for powering Brushless digital controllers at 24V DC in network mode.



B71/PBX24/BOX/115
Battery chargers with solar panels for powering Brushless digital controllers at 24V DC in network mode.



B71/PBX/BOX
Battery chargers with solar panels for powering Brushless digital controllers in FULL SOLAR mode.



KT220
Raised fixing plate for M30 series (+3 cm).



KT223
Fixing plate with stay bolts and screws M30 series.



GA550 Galvanised steel rack 22x22x1000 module 4.



GA551
Galvanised steel rack 30x12x1000
module 4 with spacers and screws.



GA554 Pocket of 6 spacers (2,5 cm) and screws.



GA553 Nylon rack module 4 with 6 connectors L.1000.



GA557 Roger Technology nylon rack module 4 with 6 connectors L.1000.



MC773 Kit mechanical limit switch for control unit H70/103AC, H70/104AC, B70/1DC, B70/1DCHP.



R99/C/001AL Signboard "Automatic Opening" Aluminium version



R99/C/001
Signboard "Automatic Opening".

